BIOLOGY

1.	Nati	aral genetic engineer is		
	(A)	Pseudomonas putida	(B)	Agrobacterium tumefaciens
	(C)	Escherichia coli	(D)	Bacillus thuringiensis
2.	Tryp	osin, Chymotrypsin, Carboxypeptidas	se are	
	(A)	Nucleases	(B)	Carbohydrases
	(C)	Lipids	(D)	Proteases
3.	Whi	ch of the following air pollutant is no	ot a prim	ary pollutant ?
	(A)	Carbon monoxide	(B)	Peroxyacetyl nitrate
	(C)	Nitrogen oxides	(D)	Hydrocarbons
4.	The	region of chloroplast where enzyme	es for dar	k reaction are located is
	(A)	Membrane of thylakoid	(B)	Grana
	(C)	Stroma	(D)	Lamellae
5.	5. 'Saheli' an oral contraceptive for female contains a non-steroidal prepa			non-steroidal preparation called
	(A)	DMPA	(B)	interferon
	(C)	centchroman	(D)	retrovirus
6.	How many male gametes are formed in pollen tube			be of angiosperms ?
	(A)	One	(B)	Two
	(C)	Three	(D)	Four
7.	Organisms which are unable to maintain their body at constant temperature a known as			ody at constant temperature are
	(A)	homoiothermic	(B)	poikilothermic
	(C)	endothermic	(D)	eurythermal
Biology (SET - A) [1]]	P.T.O.

- 8. Primitive anaerobic organisms that depended upon organic molecules of broth or hot dilute soup were
 - (A) autotrophs (B) chemoheterotrophs
 - (C) photoautotrophs (D) heterotrophs
- 9. Which of the following acts as Microtubule Organizing Centres (MTOC's) during formation of spindle fibres ?
 - (A) Microfilaments(B) Centrioles(C) Centromere(D) Cillium
- 10. The technique by which the semen collected from the husband or donor is artificially introduced into either the vagina or uterus is called
 - (A) ICSI (B) IUI
 - (C) GIFT (D) IVF
- 11. Net Primary Productivity refers to the
 - (A) total organic matter produced including those used for respiration
 - (B) balance energy or biomass remaining after meeting the cost of respiration of producers
 - (C) energy accumulated by plants during photosynthesis
 - (D) amount of biomass produced by plants per unit area
- 12. Ginger reproduces vegetatively by
 - (A) tubers (B) corms
 - (C) bulbs (D) rhizome
- 13. During relaxation of the muscles Ca⁺⁺ is pumped
 - (A) back into the sarcoplasmic reticulum
 - (B) out of the sarcoplasmic reticulum
 - (C) back into the sarcomere
 - (D) out of the sarcomere

14.	Transfer of DNA bands from Agarose gel to nitrocellulose membrane is known as				
	(A) Southern b	lotting	(B)	Western blotting	
	(C) Northern b	lotting	(D)	Eastern blotting	
15.	Severe combine	d immunodeficiency (S	CID) res	ults from the absence of	
	(A) B-cells		(B)	T-cells	
	(C) macrophag	ges	(D)	both (A) & (B)	
16.	Dumb-bell shap	ed guard cells are seen in	n		
	(A) rose		(B)	rice	
	(C) apple		(D)	mango	
17.	The cyanobacter	rium Anabaena azollae	lives in a	ssociation with	
	(A) roots of M	langifera indica	(B)	leaves of a floating fern	
	(C) roots of pi	ne trees	(D)	bacteria and fungi	
18.	If DNA has 10 spirals, the length of DNA will be				
	(A) 34 Å		(B)	64 Å	
	(C) 340 Å		(D)	640 Å	
19.	The daughter chromatids are pulled towards the opposite sides by shortening the spindle fibres during				
	(A) Prophase		(B)	Metaphase	
	(C) Telophase		(D)	Anaphase	
20.	Long-day plants do not flower when				
	(A) light period exceeds a certain critical length of the day				
	(B) short night is interrupted by flashes of light				
	(C) a long day is interrupted by brief dark period				
	(D) a short day is followed by a long night				
Biol	Biology (SET - A) [3] P.T.O.				

21.	Chiropterophily is pollination by				
	(A) insects	(B)	bats		
	(C) animals	(D)	birds		
22.	The site within the nucleus where ribosom	nal RN.	A is synthesised is		
	(A) Euchromatin	(B)	Nucleoplasm		
	(C) Nuclear pore	(D)	Nucleolus		
23.	Which of the following two codons have a	a doubl	e function ?		
	(A) AUG, GUG	(B)	UAA, UGA		
	(C) UGA, GUG	(D)	UAA, AUG		
24.	Taenia solium belongs to the Phylum				
	(A) Platyhelminthes	(B)	Aschelminthes		
	(C) Annelida	(D)	Echinodermata		
25.	The female genital pore of earthworm is p	present	sent on the		
	(A) 18 th segment	(B)	14 th segment		
	(C) 6 th segment	(D)	5 th segment		
26.	Number of gamete types produced by gene	genotype AaBbCcDd will be			
	(A) 4	(B)	8		
	(C) 16	(D)	32		
27.	Teratogenicity is				
	(A) malformation of foetus	(B)	induced parthenocarpy		
	(C) tumour forming action of the drugs	(D)	chronic dependence on alcohol		
28.	Pisum sativum belongs to the family				
	(A) Solanaceae	(B)	Liliaceae		
	(C) Fabaceae	(D)	Malvaceae		
Biol	ogy (SET-A) [4]		Contd.		


- 29. In buffer zone of a biosphere reserve
 - (A) large number of human activities are permitted
 - (B) no human activity is permitted
 - (C) limited human activities are permitted
 - (D) active cooperation between reserve management and local people is permitted
- 30. The lubricant present in joints, that reduces friction during movement is
 - (A) ligament (B) tendon
 - (C) synovial fluid (D) glenoid fossa
- 31. In gel electrophoresis, differential mobility of DNA depends upon
 - (A) helical nature of DNA
 - (B) double stranded nature of DNA
 - (C) charge and size of DNA
 - (D) hydrogen bonding between bases

32. Fowl pox is caused by

- (A) ectoparasites (B) endoparasites
- (C) bacteria (D) virus
- 33. In birds, the heart is
 - (A) two chambered
 - (B) four chambered
 - (C) three chambered with two auricles and one ventricle
 - (D) three chambered with one auricle and two ventricles
- 34. Phenotypic and genotypic ratio of 1:2:1 in F_2 generation is found in
 - (A) Neurospora crassa (B) Lathyrus odoratus
 - (C) Pisum sativum (D) Mirabilis jalapa

Biology (SET - A)

- 35. Chlamydia trachomatis causes
 - (A) trachoma (B) urethritis
 - (C) STD (D) all of these
- 36. In non-cyclic photophosphorylation
 - (A) only photosystem I is involved
 - (B) both photosystem I and photosystem II are involved
 - (C) only photosystem II is involved
 - (D) neither photosystem I nor photosystem II is involved
- 37. The different regions of a root are as shown below



The correct labelling of 1, 2, 3, 4 and 5 is

- (A) 1- root cap, 2 region of meristematic activity, 3 region of maturation,4 region of elongation, 5 root hair
- (B) 1 root cap, 2 region of maturation, 3 region of meristematic activity,
 4 region of elongation, 5 root hair
- (C) 1 root cap, 2 region of elongation, 3 region of meristematic activity,
 4 region of maturation, 5 root hair
- (D) 1 root cap, 2 region of meristematic activity, 3 region of elongation,
 4 region of maturation, 5 root hair

[6]

Biology (SET-A)

20	T	• 1	1 1	1 •	1.	1 .	
48	Hmnty	CITCLA CVI	nhole ue	ad in na	diarga or	10 10010	ranracante
			IIDOIS US	seu ili de	uigice ai	1019515	represents
	r			· · · · · · · · · · · ·			

- (A) normal females (B) normal males
- (C) affected females (D) affected males
- 39. A drug morphine is extracted from
 - (A) Cinchona ledgeriana (B) Taxus baccata
 - (C) Papaver somniferum (D) Lantana camara
- 40. Plasmids are used as vectors in genetic engineering because of their
 - (A) resistance to antibiotics
 - (B) resistance to restriction endonucleases
 - (C) ability to carry foreign genes
 - (D) ability to shuttle between prokaryotic and eukaryotic cell
- 41. Mamalian teeth embedded in the jaw socket is termed as
 - (A) homodont (B) heterodont
 - (C) diphyodont (D) thecodont
- 42. The quietest sound that the human ear can detect is called
 - (A) threshold of pain (B) threshold of sound
 - (C) threshold of hearing (D) threshold of noise
- 43. Abstinence from coitus from 10th to 17th day of menstrual cycle to prevent pregnancy is called
 - (A) coitus interruptus (B) periodic abstinence
 - (C) amniocentesis (D) lactational amenorrhea
- 44. Myopia is corrected by wearing
 - (A) contact lens (B) convex lens
 - (C) convergent lens (D) concave lens
- Biology (SET-A) [7]

- 45. Blue eye colour is recessive to brown eye clour. A brown eyed man whose mother was blue-eyed marries a blue-eyed woman. The children will be
 - (A) all brown eyed
 - (B) all blue eyed
 - (C) 3 blue eyed : 1 brown eyed
 - (D) 1 blue eyed : 1 brown eyed
- 46. A circular pigmented area of skin present on the breast around the nipples is called
 - (A) areola (B) mesovarium
 - (C) cumulus (D) membrane granulosa


47. The type of osmoregulation found in cockroach is

- (A) Ureotelism (B) Ammonotelism
- (C) Uricotelism (D) Aminotelism
- 48. Choose the correct sequence
 - (A) Palaeozoic \longrightarrow Proterozoic \longrightarrow Coenozoic
 - (B) Mesozoic \longrightarrow Palaeozoic \longrightarrow Proterozoic
 - (C) Palaeozoic \longrightarrow Mesozoic \longrightarrow Coenozoic
 - (D) Mesozoic \longrightarrow Coenozoic \longrightarrow Proterozoic
- 49. Acetyl CoA is produced from pyruvic acid by
 - (A) oxidative decarboxylation
 - (B) oxidative photophosphorylation
 - (C) oxidative hydrogenation
 - (D) oxidative photorespiration
- 50. Breaking down of glucose to lactic acid is an example of
 - (A) Anabolic pathway (B) Isomerisation
 - (C) Polymerisation (D) Catabolic pathway

Biology (SET-A)

- 51. Which of the following statements is wrong?
 - (A) Energy lost as heat or respiration cannot be transferred to any living organism
 - (B) Trophic levels in an ecosystem are usually limited to 4-5 only
 - (C) Only 15% of energy is made available to the next higher trophic level
 - (D) Detritus food chain begins with dead organic matter
- 52. The abdominal passage which connects the abdominal cavity with the scrotal sac in mammals is
 - (A) inguinal canal (B) haversian canal
 - (C) neurenteric canal (D) spermatic canal
- 53. Deuteromycetes are also called imperfect fungi because they
 - (A) form a diploid zygospore during sexual reproduction
 - (B) reproduce only sexually
 - (C) reproduce only asexually
 - (D) reproduce both by sexual and asexual means
- 54. In operon model, RNA polymerase binds to
 - (A) structural gene (B) promoter gene
 - (C) regulator gene (D) operator gene
- 55. Which of the following is incorrectly matched?
 - (A) Explant excised plant part used for callus formation
 - (B) Callus an unorganised mass of cells
 - (C) Anther culture haploid plants
 - (D) Cytokinins formation of yeast
- 56. The major centre for regulation of body temperature, thirst and hunger within the brain is
 - (A) cerebellum (B) hypothalamus
 - (C) pons (D) cerebrum

[9]




- 61. In osmosis, water molecules moves from a region of
 - (A) their high concentration to their low concentration
 - (B) concentrated solution to dilute solution
 - (C) lower water potential to higher water potential
 - (D) lower temperature to higher temperature

62.	The amount of energy released on hydrolysis of ATP to ADP is				
	(A)	30.6 KJ	(B)	50.6 KJ	
	(C)	20.6 KJ	(D)	40.6 KJ	
63.	Gen	es do not occur in pairs in			
	(A)	zygote	(B)	somatic cell	
	(C)	endosperm cells	(D)	gametes	
64.	Con	traction of uterine smooth musc	les during pa	urturition is caused by	
	(A)	Vasopressin	(B)	Oxytocin	
	(C)	Oestrogen	(D)	Progesterone	
65.	Hun	nan placenta is formed from			
	(A)	ectoderm	(B)	trophoblast	
	(C)	endoderm	(D)	mesoderm	
66.	The function of adipose tissue includes				
	(A)	formation of an insulating laye	er, preventior	n of heat loss	
	(B) excretion, absorption and secretion				
	(C) diffusion of materials and exchange of gases across the membran				
	(D) increase surface area for absorption				
67.	7. Which of the following element is a macroelement/macronutrie			ent/macronutrient?	
	(A)	Manganese	(B)	Magnesium	
	(C)	Molybdenum	(D)	Chlorine	
68.	Allopatric speciation is caused by				
	(A)	temporal isolation	(B)	adaptive radiation	
	(C)	geographic isolation	(D)	reproductive isolation	
Biol	ogy (S	ET-A)	[11]		

69.	In a human kidney the glomeruli of nephrons are present in					
	(A)	renal cortex	(E	B)	renal medulla	
	(C)	renal pelvis	([D)	distal nephron	
70.	An a	association of two species where	e both the s	spe	cies are benefited is known as	
	(A)	parasitism	(E	B)	amensalism	
	(C)	mutualism	([D)	commensalism	
71.	Afte	r fertilization, seed coats of see	d develop	fro	m	
	(A)	embryo sac	(E	B)	ovule	
	(C)	integuments	([D)	chalazal region	
72.	The	first product of photosynthesis i	n a plant ha	avi	ng Kranz anatomy is	
	(A)	phosphoglyceric acid	(E	B)	pyruvic acid	
	(C)	oxaloacetic acid	([D)	succinic acid	
73.	3. Sir Alexander Fleming extracted penicillin from					
	(A)	Penicillium notatum	(E	B)	Penicillium leprasum	
	(C)	Penicillium ovalin	([D)	Bacillus brevis	
74.	The	phenomenon which disobeys th	e independ	den	t assortment is	
	(A)	segregation	(E	B)	crossing over	
	(C)	dominance	([D)	linkage	
75.	5. Which of these are bacterial diseases ?					
	(A)	tetanus, typhoid, tuberculosis	(E	B)	small pox, influenza, tetanus	
	(C)	meningitis, measles, syphilis	([D)	none of the above	
D! - J						
Biology (SET-A)			[12]		Contd.	

- 76. The technique in which foreign DNA is precipitated over surface of metal particles for passing into target cells is
 - (A) microinjection
 - (B) electroporation
 - (C) particle gun
 - (D) chemical mediated gene transfer
- 77. The neck of the carpel to which stigma is attached is
 - (A) ovary (B) thalamus
 - (C) ovule (D) style
- 78. The similarity between catalysts and enzymes is that they
 - (A) both initiate a reaction
 - (B) both alter the equilibrium
 - (C) are both required in minute quantities
 - (D) both make long-lived complexes with the reactants
- 79. Purines of DNA are
 - (A) adenine and cytosine (B) adenine and guanine
 - (C) thymine and guanine (D) adenine and thymine
- 80. In the given diagram, parts of a female reproductive system are marked by 1, 2, 3 and 4



The correct labelling of 1, 2, 3 and 4 is

- (A) 1-oviduct, 2-uterus, 3-ovary, 4-cervix
- (B) 1-cervix, 2-ovary, 3-uterus, 4-oviduct
- (C) 1-uterus, 2-cervix, 3-fallopian tube, 4-tumour
- (D) 1-cervix, 2-uterus, 3-fallopian tube, 4-ovary

Biology (SET - A)

81.	Spirulina is				
	(A)	gobar gas	(B)	biofertiliser	
	(C)	single cell protein	(D)	biopesticide	
82.	SCI	D is caused by defective gene co	ding for the	enzyme	
	(A)	Adenosine deaminase	(B)	Adenosine transaminase	
	(C)	Adenosine transferase	(D)	Guanosine transaminase	
83.	Iden	tify the correct sequence			
	(A)	kingdom-class-phylum-order-f	family-genus	s-species	
	(B)	phylum-kingdom-class-family	-order-genus	s-species	
	(C)	kingdom-phylum-class-order-f	family-genus	s-species	
	(D)	kingdom-phylum-class-family	-order-genus	s-species	
84.	Stor	e house of energy in plant tissue	eis		
	(A)	Starch	(B)	Glycogen	
	(C)	Chitin	(D)	Fats	
85.	. Frame shift mutation is caused by change in nucleotide sequence which is a			eotide sequence which is due to	
	(A)	deletion and repetition	(B)	deletion and insertion	
	(C)	insertion and duplication	(D)	duplication and repetition	
86.	. The substance used for solidification of nutrient medium is				
	(A)	2, 5-D	(B)	Agar agar	
	(C)	Alfa alfa	(D)	morphine	
87.	The double homozygous yellow round plant is crossed with green wrinkled pla The offspring shall be of			ossed with green wrinkled plant.	
	(A)	one type	(B)	two types	
	(C)	four types	(D)	several types	
Biology (SET - A)			[14]	Contd.	

- 88. The respiratory centre that primarily controls the switch off points of inspiration is
 - (A) Ventral respiratory centre
 - (B) Pneumotaxic centre
 - (C) Dorsal respiratory centre
 - (D) Antero lateral respiratory centre
- 89. Cocaine is derived from
 - (A) Coffea arabica (B) Thea sinensis
 - (C) Erythroxylum coca (D) Cannabis coca
- 90. In nitrogen fixation process, enzyme nitrite reductase is responsible for
 - (A) reduction of nitrate to nitrite
 - (B) reduction of nitrite ions to ammonium ions
 - (C) splitting of nitrogen molecule
 - (D) reductive ammination
- 91. Mendel selected garden pea as material for his experiments because
 - (A) it is an annual plant with comparatively short life cycle
 - (B) the flowers are self pollinated
 - (C) it is easily cross-pollinated
 - (D) all of the above
- 92. Central dogma of molecular biology was further improved/modified with the discovery of
 - (A) DNA ligase (B) RNA polymerase III
 - (C) DNA polymerase (D) Reverse transcriptase
- 93. When organic acids such as oxalic acid and malic acid are used as substrates, respiratory quotient (RQ) is
 - (A) less than 1 (B) exactly 1
 - (C) more than 1 (D) infinity

[15]

- 94. Nuclear division that results in the formation of two nuclei is
 - (A) Interphase (B) Karyokinesis
 - (C) Cytokinesis (D) Interkinesis

95. Which of the following amino acids was not found to be synthesised by Miller-Urey experiment ?

- (A) Alanine (B) Glycine
- (C) Glutamic acid (D) Aspartic acid
- 96. The stored carbohydrates in Brown algae is in the form of
 - (A) Floridean starch (B) Laminarin starch
 - (C) Phycocolloids (D) Chlorophycean starch
- 97. Which of the following statements is *not* true ?
 - (A) Ozone depletion can cause skin cancer
 - (B) CO_2 and CH_4 are greenhouse gases
 - (C) Ozone layer is present in the stratosphere between 20-26 km ASL
 - (D) Biomagnification is the process of nutrient enrichment of water resulting in loss of diversity
- 98. The anticoagulant present in blood which prevents the conversion of prothrombin to thrombin is
 - (A) Fibrin (B) Heparin
 - (C) Thromboplastin (D) Troponin
- 99. The pH of human semen is
 - (A) 4.5 5.5 (B) 6.5 6.8
 - (C) 7.2 8.0 (D) 8.2 8.5

100. The first naturally occurring cytokinin was chemically identified from

- (A) Oryza sativa (B) Zea mays
- (C) Triticum vulgare (D) Fusarium moniliforme

Biology (SET - A)